FEDERAL EMERGENCY MANA National Flood Insurance Program	ELAND SECURITY AGEMENT AGENCY			ERTIFICA tructions on pages	1 :	OMB No. 16 Expiration D	660-0008 Date: July 31, 2015
Uppl 6/0	4)/14	SECTION	i A - PROPER	TY INFORMATI	ON F	OR INSURAN	CE COMPANY USE
A1. Building Owner's Nar	me Kathleen N	//. Kavka Trust			P	olicy Number:	
A2. Building Street Address 110 Oregon	ess (including Apt.		Bldg. No.) or PO.			ompany NAIC	·
City Waretown			W 1850 CO	State NJ	ZII	<sup>Code</sup> 087	58
A3. Property Description Township of Ocea	an - Lot 22.01, E	Block 200			<u> </u>		
A4. Building Use (e.g., R A5. Latitude/Longitude: A6. Attach at least 2 pho A7. Building Diagram Nu A8. For a building with a a) Square footage of b) Number of perma or enclosure(s) w c) Total net area of d) Engineered flood	Lat. 39° 47' 17.4  otographs of the b  mber 6  crawlspace or end  f crawlspace or end  anent flood openin  ithin 1.0 foot about	42" N  uilding if the Certifica  closure(s): nclosure(s) gs in the crawlspace we adjacent grade	784 s	A9. For a to q ft a) Sq b) Nu with q in c) Total	Horizontal Da surance. puilding with an atta uare footage of atta	ched garage ched garage flood openin adjacent grad openings in	gs in the attached garage
· · · · · · · · · · · · · · · · · · ·	SECT	TION B – FLOOD I	NSURANCE R	ATE MAP (FIRM	/) INFORMATIO	N	<del></del>
B1. NFIP Community Nam Township of Ocea		lumber	B2. Count Ocean	y Name			B3. State NJ
B4. Map/Panel Number		B6. FIRM Index Dat	e B7. FIRM	Panel Effective/ ed Date	B8. Flood Zone(s)		Flood Elevation(s) (Zone se base flood depth)
34029C0416	F	09/29/2006		/29/2006	AE		6
B10. Indicate the source of FIS Profile			or base flood de	•	n B9: 		
B11. Indicate elevation da		<del>-</del>		X NAVD 1988	Other/Source:		
B12. Is the building locate Designation Date:			em (CBRS) area ∈ ☐ OPA	or Otherwise Prote	cted Area (OPA)?	Yes 🛚	No
	SECTIO	N C - BUILDING	ELEVATION IN	FORMATION (S	URVEY REQUIR	ED)	
C1. Building elevations a *A new Elevation Ce	re based on:	ON C - BUILDING	awings*	Building Under Co		ED)  Trinished C	onstruction
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord	re based on: rtificate will be red 1-A30, AE, AH, A ding to the building	Construction Dra quired when construc (with BFE), VE, V1–V3 g diagram specified ir	awings* [ tion of the buildi 30, V (with BFE), n Item A7. In Pue	Building Under Cong is complete.  AR, AR/A, AR/AE, erto Rico only, ente	AR/A1-A30, AR/AH r meters.	Finished C	
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord	re based on: rtificate will be red 1-A30, AE, AH, A ling to the building CORS STA. Di	Construction Dra quired when construc (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS	awings* tion of the buildi 30, V (with BFE), a Item A7. In Pue	Building Under Cong is complete.  AR, AR/A, AR/AE, erto Rico only, ente	AR/A1-A30, AR/AH r meters. VD 1988	Finished C	nplete Items
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da	re based on: rtificate will be red 1-A30, AE, AH, A fing to the building CORS STA. Di	Construction Dra quired when construc (with BFE), VE, V1–V3 g diagram specified ir	awings* tion of the buildi 30, V (with BFE), tem A7. In Pue Company through h) belo	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enter entical Datum: NA  W. \( \sqrt{NGVD 1929} \)  BFE.	AR/A1-A30, AR/AH r meters. VD 1988	Finished C , AR/AO. Cor	nplete Items
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build	re based on: rtificate will be rec 1-A30, AE, AH, A iling to the building CORS STA. Di itum used for the ling elevations mu	☐ Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in Items a	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue  Ve ) through h) belo	Building Under Cong is complete.  AR, AR/A, AR/AE, erto Rico only, enter ertical Datum: NA  W. NGVD 1928  BFE. 3 4	AR/A1-A30, AR/AH r meters. VD 1988  NAVD 1988	Finished C , AR/AO. Cor	nplete Items
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his	re based on: rtificate will be rec 1-A30, AE, AH, A iling to the building CORS STA. De itum used for the ding elevations mu or (including bases igher floor	Construction Draguired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in items a set be the same as the ment, crawlspace, or	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue Company through h) belonat used for the length of t	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enter entical Datum: NA  W. \( \sqrt{NGVD 1929} \)  BFE.	AR/A1—A30, AR/AH r meters. VD 1988 Check the me	AR/AO. Cor Other/Sou asurement u meters meters	nplete Items
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low	re based on: rtificate will be rec 1.—330, AE, AH, A fing to the building CORS STA. Di tum used for the fing elevations mu or (including bases igher floor vest horizontal str	Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue Company through h) belonat used for the length of t	Building Under Cong is complete.  AR, AR/A, AR/AE, erto Rico only, enter ertical Datum: NA  W. NGVD 1928  BFE. 3 4	AR/A1-A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet	Tinished C  AR/AO. Cor  Other/Sou asurement u meters meters meters	nplete Items
*A new Elevation Ce  C2. Elevations – Zones A  C2.a–h below accord  Benchmark Utilized: Indicate elevation da  Datum used for build  a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage ( e) Lowest elevation	re based on: rtificate will be rec 1.—330, AE, AH, A iling to the building CORS STA. Di itum used for the ding elevations mu or (including bases igher floor vest horizontal stri (top of slab) of machinery or e	Construction Dra- quired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue by through h) belonat used for the lenclosure floor) ones only)	Building Under Cong is complete.  AR, AR/A, AR/AE, erto Rico only, enter ertical Datum: NA  W. NGVD 1928  BFE. 3 4	AR/A1—A30, AR/AH r meters. VD 1988 Check the me	AR/AO. Cor Other/Sou asurement u meters meters	nplete Items  urce: 9102 8 1
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of	re based on: rtificate will be rec 1.—330, AE, AH, A fing to the building CORS STA. Di tum used for the ding elevations mu or (including bases igher floor rest horizontal stra (top of slab) of machinery or elequipment and lo	Construction Dra- quired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the location in Comments)	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue by through h) belonat used for the lenclosure floor) ones only)	Building Under Cong is complete.  AR, AR/A, AR/AE, eto Rico only, enterical Datum: NA  W. NGVD 1929  BFE.  3 4  13 7	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet	Tinished C  AR/AO. Cor  Other/Sou asurement u meters meters meters meters meters	nplete Items  Irrce: Sed. 9102 8 1 WW
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (e)	re based on: rtificate will be reconstruction. AL—A30, AE, AH, A struction and comments of the building CORS STA. Distruction by the building elevations must be compared to the comments of t	Construction Dra- quired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the location in Comments)	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue by through h) belonat used for the lenclosure floor) ones only)	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA  w. NGVD 1928  BFE.  3 4  13 7  9 4  2 9  3 0	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet	Tinished C  AR/AO. Cor  Other/Sou asurement u meters meters meters meters	nplete Items  Troe: Sed. 9102 8 1 8W
*A new Elevation Ce C2. Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent	re based on: rtificate will be rec 1.—A30, AE, AH, A fing to the building CORS STA. Di tum used for the ding elevations mu- or (including bases igher floor rest horizontal stra (top of slab) of machinery or e- equipment and lo (finished) grade ne (finished) grade ne grade at lowest el-	Construction Dra- quired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in Items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG)	awings* tion of the buildi 30, V (with BFE), Item A7. In Pue Control Of through h) belonat used for the lenclosure floor) ones only) the building	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA  W. NGVD 1929  BFE.  3 4 13 7  9 4	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet	Tinished C  AR/AO. Cor  Other/Sou asurement u meters meters meters meters meters meters	nplete Items  Troce: Sed.  9102 8 1 8 W
*A new Elevation Ce C2. Elevations – Zones A C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent h) Lowest adjacent	re based on: rtificate will be rec 1.—A30, AE, AH, A iling to the building CORS STA. Di tum used for the ding elevations mu or (including bases igher floor vest horizontal stru (top of slab) of machinery or e- equipment and lo (finished) grade ne (finished) grade ne grade at lowest elit	Construction Dra- quired when construct (with BFE), VE, V1-V3 g diagram specified in K7749 w/RTK GPS elevations in Items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing th cation in Comments) ext to building (LAG) ext to building (HAG)	awings*  tion of the buildi 30, V (with BFE), h Item A7. In Pue 5  Ve ) through h) belonat used for the lenclosure floor)  ones only)  he building  airs, including	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA w. NGVD 1929 BFE.  3 4 13 7  9 4 2 9 3 0 3 0	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Tinished C  AR/AO. Cor  Other/Sou asurement u meters meters meters meters meters meters meters	nplete Items  Troce: Sed.  9102 8 1 8 W
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent h) Lowest adjacent structural suppor	re based on: rtificate will be rec 1.—330, AE, AH, A fing to the building CORS STA. De tum used for the fing elevations mu or (including bases igher floor rest horizontal stra (top of slab) of machinery or e equipment and lo (finished) grade ne (finished) grade ne (finished) grade ne grade at lowest ele t  SECT ligned and sealed le information on i	Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the location in Comments) ext to building (LAG) evation of deck or statement of the construction of the construction of the construction of the construction of deck or statement of the construction of the const	awings* tion of the buildi 30, V (with BFE), h Item A7. In Pue by through h) belonat used for the lenclosure floor) ones only) he building  DR, ENGINEER Ingineer, or architents my best effor	Building Under Cong is complete.  AR, AR/A, AR/AE, rto Rico only, enter ertical Datum: NA  w. NGVD 1928  BFE.  3 4  13 7  9 4  2 9  3 0  3 0  4, OR ARCHITEC	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	nplete Items  Troce: Sed.  9102 8 1 8 W
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage e e) Lowest elevation (Describe type of f) Lowest adjacent h) Lowest adjacent h) Lowest adjacent structural suppor	re based on: rtificate will be reconstricted will be reconstructed.  Al-A30, AE, AH, A stricted will be reconstructed for the building CORS STA. Drug the stricted will be reconstructed by the stricted by the stricted will be reconstructed by the stricted by	Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or state of the construction of deck or state of the cation of the cation of deck or state of the cation of deck or state of the cation of deck or state of the cation of	awings* tion of the buildi 30, V (with BFE), I tem A7. In Pue 3 Ve ) through h) belonat used for the lenclosure floor) ones only) he building  OR, ENGINEER rigineer, or architents my best effor Imprisonment used in the lents my best effor Impriso	Building Under Cong is complete.  AR, AR/A, AR/AE, rto Rico only, enter ertical Datum: NA  w. NGVD 1928  BFE.  3 4  13 7  9 4  2 9  3 0  3 0  4, OR ARCHITEC	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	nplete Items  Troce: Sed.  9102 8 1 8 W
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) E) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent h) Lowest adjacent structural suppor  This certification is to be s information. I certify that the I understand that any false Check here if comments Check here if attachmer	re based on: rtificate will be reconstruction of the building CORS STA. Distruction of the ding elevations must be reconstructed on the ding elevations must be reconstructed on the ding elevations of the ding elevations must be reconstructed on the ding elevations of the ding elevations of the ding elevations of the ding elevation of the ding elevati	Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or state of the construction of deck or state of the cation of the cation of deck or state of the cation of the cat	awings* tion of the buildi 30, V (with BFE), I tem A7. In Pue 3 Ve ) through h) belonat used for the lenclosure floor) ones only) he building  OR, ENGINEER rigineer, or architents my best effor Imprisonment used in the lents my best effor Impriso	Building Under Cong is complete.  AR, AR/A, AR/AE, etto Rico only, enter cartical Datum: NA  w. NGVD 1929  BFE.  3 4 13 7  9 4  2 9 3 0 3 0  C, OR ARCHITECT of the inder 18 U.S. Code longitude in Sectic eyor? Yes	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	nplete Items  Troce: Sed.  9102 8 1 8 W
*A new Elevation Ce C2. Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent h) Lowest adjacent structural suppor	re based on: rtificate will be reconstricted will be reconstructed.  Al-A30, AE, AH, A ding to the building CORS STA. Disturm used for the ding elevations muser (including bases igher floor rest horizontal structed from the statement and logistic floor grade at lowest electric statement may be a reprovided on ints.	Construction Dra quired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in Items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or state of the cation of the cation of deck or state of the cation of deck or state of the cation of the	awings* tion of the buildi 30, V (with BFE), I tem A7. In Pue 30 Ve 31 through h) belonat used for the lenclosure floor) ane sonly) are building  32 PR, ENGINEER agineer, or architents my best effor Imprisonment user latitude and sensed land surv	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA  w. NGVD 1928  BFE.  3 4 13 7  9 4 2 9 3 0 3 0  C, OR ARCHITECT of the inder 18 U.S. Code longitude in Section	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	PLACE SEAL
*A new Elevation Ce C2. Elevations – Zones A C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent h) Lowest adjacent structural suppor	re based on: rtificate will be reconstricted will be reconstructed.  Al-A30, AE, AH, A ding to the building CORS STA. Disturm used for the ding elevations muser (including bases igher floor rest horizontal structed from the statement and logistic floor grade at lowest electric statement may be a reprovided on ints.	Construction Draquired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in items a ust be the same as the ment, crawlspace, or uctural member (V Zo quipment servicing the location in Comments) ext to building (LAG) levation of deck or state ion D – SURVEYO by a land surveyor, en this Certificate repress to punishable by fine of back of form.  We	awings* tion of the buildi 30, V (with BFE), I tem A7. In Pue 3 Ve ) through h) belonat used for the lenclosure floor) ones only) he building  OR, ENGINEER rigineer, or architents my best effor Imprisonment user latitude and	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA  w. NGVD 1928 BFE.  3 4 13 7 9 4 2 9 3 0 3 0  C, OR ARCHITECT of the inder 18 U.S. Code longitude in Section (eyor? Yes  License N 24GS03	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	protections  Troe: 100 8 1 8 9 10 2 8 1 8 10 2 10 2 10 2 10 2 10 2 10
*A new Elevation Ce C2. Elevations – Zones A C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent of g) Highest adjacent of structural support  This certification is to be s information. I certify that the support  Thomas J. Murphy, PL Title	re based on: rtificate will be reconstricted will be reconstructed.  Al-A30, AE, AH, A ding to the building CORS STA. Disturm used for the ding elevations muser (including bases igher floor rest horizontal structed from the statement and logistic floor grade at lowest electric statement may be a reprovided on ints.	Construction Draguired when construct (with BFE), VE, V1–V3 g diagram specified in K7749 w/RTK GPS elevations in Items at ust be the same as the ment, crawlspace, or uctural member (V Zoquipment servicing the cation in Comments) ext to building (LAG) evation of deck or state of the cation of deck or state of the cation. We have the cation of deck of form.	awings* tion of the buildi 30, V (with BFE), I tem A7. In Pue 30 Ve 30 through h) belonat used for the lenclosure floor) and used for the lenclosure floor and used land survey.	Building Under Cong is complete.  AR, AR/A, AR/AE, etc Rico only, enterentical Datum: NA  w. NGVD 1928 BFE.  3 4 13 7 9 4 2 9 3 0 3 0  C, OR ARCHITECT of the inder 18 U.S. Code longitude in Section (eyor? Yes  License N 24GS03	AR/A1—A30, AR/AH r meters. VD 1988 Check the me Check the me feet feet feet feet feet feet feet fe	Finished C   AR/AO. Cor   Other/Sou   asurement u   meters   met	PLACE SEAL

### **ELEVATION CERTIFICATE**, page 2

IMPORTANT: In these spaces, copy the corre	<u> </u>			_		COMPANY USE
Building Street Address (including Apt., Unit, S 110 Oregon Avenue					icy Number:	
City Waretown	State NJ	ZIP Code 08758		Co	mpany NAIC Nur	nber:
SECTION D - S	URVEYOR, ENGINEER, OR /	ARCHITECT CE	RTIFICATIO	N (CONT	(INUED)	
Copy both sides of this Elevation Certificate for	or (1) community official, (2) insur	ance agent/comp	any, and (3) bu	uilding ow	ner.	
Comments A8. c) 4 "Smart Vent" Model N	Jo. 1540-520 rated @ 200 s f	each = 800 s f				
B8. Zone AE - per revised Pro				30, 2015		<del></del>
B9. BFE - 7 FT per revised F			ated January	30, 201	5	
C2. a) Enclosed "breakaway"	walls system C2. e) Air ha					
Signature June 1. Mr	ARI	Date 11/17/2				
SECTION E - BUILDING ELEVATION	N IMPORMATION (SURVEY I	NOT REQUIRED	) FOR ZONE	E AO AN	D ZONE A (	WITHOUT BFE)
For Zones AO and A (without BFE), complete It For Items E1–E4, use natural grade, if available	e. Check the measurement used	In Puerto Rico o	nly, enter mete	rs.		
E1. Provide elevation information for the follow grade (HAG) and the lowest adjacent grade	e (LAG).		_			_
a) Top of bottom floor (including basement			☐ feet ☐		=	below the HAG.
b) Top of bottom floor (including basement		··	☐ feet ☐			☐ below the LAG.
E2. For Building Diagrams 6–9 with permanent	· - ·	on A Items 8 and	_ ` ` _			_
the next higher floor (elevation C2.b in the	diagrams) of the building is	•	☐ feet ☐		=	below the HAG.
E3. Attached garage (top of slab) is	<del>-</del>	•	☐ feet ☐		-	☐ below the HAG.
E4. Top of platform of machinery and/or equip			☐ feet ☐			Delow the HAG.
E5. Zone AO only: If no flood depth number is ordinance? ☐ Yes ☐ No ☐ Unknown	available, is the top of the botton n. The local official must certify th			ith the co	mmunity's floc	dplain management
SECTION F – P	ROPERTY OWNER (OR OWI	IER'S REPRES	ENTATIVE) (	CERTIFI	CATION	
The property owner or owner's authorized reprized AO must sign here. The statements in Section 2015	esentative who completes Sectio ections A, B, and E are correct to	ns A, B, and E for the best of my kr	Zone A (withou owledge.	ut a FEMA	issued or cor	nmunity-issued BFE) or
Property Owner or Owner's Authorized Represe	entative's Name					
Address		City		State	ZIP C	ode
Signature		Date		Teleph	one	
Comments						
					Check	there if attachments.
	SECTION G - COMMUNITY	INFORMATION	(OPTIONAL	.)		
The local official who is authorized by law or ord G of this Elevation Certificate. Complete the app	inance to administer the commun plicable item(s) and sign below. Ch	ity's floodplain ma neck the measurer	nagement ordir nent used in It	nance can ems G8-0	complete Sec 310. In Puerto	tions A, B, C (or E), and Rico only, enter meters.
G1.   The information in Section C was tak who is authorized by law to certify elements.	evation information. (Indicate the	source and date	of the elevati	on data i	n the Commer	nts area below.)
<ul><li>G2. ☐ A community official completed Section</li><li>G3. ☐ The following information (Items G4—</li></ul>				-	issued BFE) o	r Zone AO.
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certifica	te Of Con	npliance/Occu	pancy Issued
G7. This permit has been issued for:	ew Construction	ial Improvement				
G8. Elevation of as-built lowest floor (includin	g basement) of the building:		☐ feet ☐	meters	Datum	<del></del>
G9. BFE or (in Zone AO) depth of flooding at t	he building site:			meters	Datum	
G10.Community's design flood elevation:		• — •	☐ feet ☐	meters	Datum	
Local Official's Name		Title	<del></del> -			
Community Name		Telephone		-		
Signature		Date				
Comments						
<del></del>				····		

## **ELEVATION CERTIFICATE**, page 3


### **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt 110 Oregon Avenue	, Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.	Policy Number:
City Waretown	State ZIP Code NJ 08758	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

# FRONT VIEW 11/14/2015



#### **BUILDING PHOTOGRAPHS**

**Continuation Page** 

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt 110 Oregon Avenue	, Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.	Policy Number:	
City Waretown	State ZIP Code NJ 08758	Company NAIC Number:	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

# **REAR VIEW 11/14/2015**



# TYPICAL FLOOD VENT 11/14/2015

